ET

Notice of Allowability	Application No.	Applicant(s)		
	10/752,402	NELSON, CHARLES		
	Examiner	Art Unit		
	Jes F. Pascua	3782		
The MAILING DATE of this communication appearance of the communication appearance of allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not include will be mailed in due	ed <sup>·</sup> course. <b>THIS</b>	
1. X This communication is responsive to the amendment and	Terminal Disclaimer filed 26 April 200	<u>07</u> .		
2. ☑ The allowed claim(s) is/are <u>1-5 and 16-30</u> .				
<ol> <li>Acknowledgment is made of a claim for foreign priority una)</li> <li>All b)</li> <li>Some* c)</li> <li>None of the:</li> <li>1.</li> <li>Certified copies of the priority documents have</li> <li>Certified copies of the priority documents have</li> <li>Copies of the certified copies of the priority do</li> <li>International Bureau (PCT Rule 17.2(a)).</li> </ol> * Certified copies not received:	e been received. e been received in Application No		tion from the	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	MENT of this application.			
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent application (PTO-152) which give	nitted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or Nation is deficient.	IOTICE OF	
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.			
(a) I including changes required by the Notice of Draftspers	son's Patent Drawing Review ( PTO-	948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date				
(b) including changes required by the attached Examiner Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the same of	l.84(c)) should be written on the drawing the header according to 37 CFR 1.121(	ngs in the front (not the d).	back) of	
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. I AL MATERIAL.	Note the	
Attachment(s)	5. Notice of Informal P	Patent Application		
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	6.  Interview Summary			
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7.   Examiner's Amendr	te		
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	8.   Examiner's Statement of Reasons for Allowance		
of Biological Material	<u> </u>	9. ☑ Other <u>See Continuation Sheet</u> .		
		Jes F. Pascua Primary Examiner Art Unit: 3782		

Continuation of Attachment(s) 9. Other: The corrected drawing filed 4/26/07 is approved by the Examiner.

byce 17/4; bcap vi 4/50/5007 6:54:04 PM [Eastern Day||Qht Time]; 5VR:USP10-EFXRF 6/17; DNIS:2738300; CSID:3122634481; DURATION (mm-ss):03-08
1004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1005-004001
1




FIG. 1